Trasformatori incapsulati in resina 15va

Transformers encapsulated in resin 15va

Trasformatori di alimentazione per elettronica. Primario 220Vac. Due secondari uguali che si possono collegare in serie od in parallelo. In serie si raddoppia la tensione con la possibilità di avere anche lo zero centrale, (es. 12-0-12V).
In questo caso il trasformatore fornisce la corrente di un avvolgimento.
Nel collegamento in parallelo si raddoppia la corrente e rimane invariata la tensione.

Power transformers for electronics. Primary 220Vac. Two secondary equal that can be connected in series or parallel. In series doubles the voltage with the possibility of having also the central zero, (eg 12-0-12V). In this case the transformer supplying the current of a winding. In parallel connection doubles the current and the voltage remains unchanged.

CONTENITORE
BOX



FORATURA C.S. (vista da sotto)
PERFORATION P.C. (view pin side)



POTENZA POWER 15VA / VOLT-CODICI VOLT-CODE	SCHEMI DI COLLEGAMENTO - CONNECTION SCHEME: SERIE MASS		PARALLELO PARALLEL		ZERO CENTRALE CENTRAL ZERO	
						
	TENSIONI E CORRENTI MASSIME OTTENIBILI MAX GETTABLE CURRENTS AND VOLTAGES					
4,5+4,5V COD.020911	9V	1,650A	4,5V	3,300A	4,5-0-4,5V	1,650+1,650A
6+6V COD.020912	12V	1,250A	6V	2,500A	6-0-6V	1,250+1,250A
7,5+7,5V COD.020913	15V	1,000A	7,5V	2,000A	7,5-0-7,5V	1,000+1,000A
9+9V COD.020914	18V	0,800A	9V	1,600A	9-0-9V	0,800+0,800A
12+12V COD.020915	24V	0,600A	12V	1,200A	12-0-12V	0,600+0,600A
15+15V COD.020916	30V	0,500A	15V	1,000A	15-0-15V	0,500+0,500A
18+18V COD.020917	36V	0,400A	18V	0,800A	18-0-18V	0,400+0,400A
24+24V COD.020918	48V	0,300A	24V	0,600A	24-0-24V	0,300+0,300

FCE srl Via Cascamificio, 27 Jesi (AN) 60035 - Tel. 0731 58703 - Fax: 0731 205617